ELSEVIER

Forest Ecology and Management 97 (1997) 305–306

Forest Ecology and Management

Contents of *Forest Ecology and Management*, Volume 97

VOL. 97, NO. 1 **30 SEPTEMBER 1997**

Biomass equations for sixty-five North American tree species
M.T. Ter-Mikaelian (Sault Ste. Marie, Ont., Canada) and M.D. Korzukhin (Moscow, Russia) 1
Models for the estimation of single tree volume in four Miombo woodland types
P. Abbot (Aberdeen, UK), J. Lowore (Zomba, Malawi) and M. Werren (Aberdeen, UK) 25
Nitrogen saturation in Japanese forests: an evaluation
M.J. Mitchell (Syracuse, NY, USA), G. Iwatsubo (Kyoto, Japan), K. Ohrui (Syracuse, NY, USA) and Y. Nakagawa (Kyoto, Japan) 39
Variation in shoot water status of *Picea abies* (L.) Karst. trees with different life histories
A. Sellin (Tartu, Estonia) 53
Height–diameter curves with random intercepts and slopes for trees growing on drained peatlands
H. Hökkä (Rovaniemi, Finland) 63
Temporal and spatial patterns of net photosynthesis in 12-year-old loblolly pine five growing seasons after thinning
D.A. Gravatt (Vicksburg, MS, USA), J.L. Chambers (Baton Rouge, LA, USA) and J.P. Barnett (Pineville, LA, USA) 73

Short communication
A measuring system for characterizing spatial and temporal variation of photon flux density within plant canopies
T. Yanhong (Ibaraki, Japan) and K. Naoki (Tokyo, Japan) 85

Book Review
Forest ecosystems, forest management and the global carbon cycle
L. Pedroni (Turrialba, Costa Rica) 91

VOL. 97, NO. 2 **1 OCTOBER 1997**

Special Issue: Regeneration Success and Early Growth of Forest Stands Selected papers from the IUFRO Conference on Modelling Regeneration Success and Early Growth of Forest Stands, held in Copenhagen, Denmark, 10–13 June 1991

Preface 93
Natural regeneration of beech (*Fagus sylvatica* L.) with respect to canopy density,3 soil moisture and soil carbon content
P. Madsen and J.B. Larsen (Hørsholm, Denmark) 95
A model describing natural regeneration recruitment of Norway spruce (*Picea abies* (L.) Karst.) in Austria
J. Schweiger and H. Sterba (Vienna, Austria) 107
Effects of environmental factors on the shoot development of *Quercus petraea* seedlings. A methodological approach
H. Chaar, F. Colin and C. Collet (Champenoux, France) 119
Predicting juvenile tree height growth in uneven-aged mixed species stands in Austria
M. Golser and H. Hasenauer (Vienna, Austria) 133
Estimating sapling vitality for scots pine (*Pinus sylvestris* L.) in Russian Karelia
D.G. Oreshkin (St. Petersburg, Russia), J.P. Skovsgaard (Hørsholm, Denmark) and J.K. Vanclay (Jakarta, Indonesia) 147
Stability of height positions in young naturally regenerated stands of Scots pine
M. Ruha (Joensuu, Finland), H. Hökkä, M. Varmola and H. Salminen (Rovaniemi, Finland) 155
Height growth modeling using second order differential equations and the importance of initial height growth
R.A. Leary, K. Nimerfro, M. Holdaway, G. Brand, T. Burk, R. Kolka and A. Wolf (St. Paul, MN, USA) 165

Individual tree basal area growth models for young stands of Norway spruce in Sweden
K. Nyström (Umeå, Sweden) and M. Kexi (Xi'an, China) 173
A model of the growth of juvenile radiata pine in the Central North Island of New Zealand: links with older models and rotation–length analyses of the effects of site preparation
E.G. Mason, A.G.D. Whyte, R.C. Woollons (Christchurch, New Zealand) and B. Richardson (Rotorua, New Zealand) 187
Seed and seedling variation amongst provenances in *Faidherbia albida*
A.M. Ibrahim (Helsinki, Finland), C.W. Fagg and S.A. Harris (Oxford, UK) 197

VOL. 97, NO. 3 **9 OCTOBER 1997**

Resistance to the green spruce aphid (*Elatobium abietinum* Walker) in progenies of Sitka spruce (*Picea sitchensis* (Bong) Carr.)
J.S. Jensen (Hørsholm, Denmark), S. Harding (Frederiksberg, Denmark) and H. Roulund (Hørsholm, Denmark) 207
Modelling probability of snow and wind damage in Scots pine stands using tree characteristics
E. Valinger and J. Fridman (Umeå, Sweden) 215
A quantitative approach to cork oak forest management
J.G. Borges, A.C. Oliveira and M.A. Costa (Lisboa, Portugal) 223
Stemflow determination in forest stands
A. Hanchi (Montpellier, Dijon, France) and M. Rapp (Montpellier, France) 231
Analysis and modeling of spatial stand structures. Methodological considerations based on mixed beech–larch stands in Lower Saxony
H. Pretzsch (Freising, Germany) 237
Transpiration rate of *Prunus avium* L. seedlings inside an unventilated treeshelter
J.-E. Bergez and C. Dupraz (Montpellier, France) 255
Soil respiration following site preparation treatments in boreal mixedwood forest
A.U. Mallik and D. Hu (Thunder Bay, Ont., Canada) 265
Effects of leaf aggregation in a broad-leaf canopy on estimates of leaf area index by the gap-fraction method
D.A. Herbert and J.H. Fownes (Honolulu, HI, USA) 277
Brazilian Amazonian *caboclo* agriculture: effect of fallow period on maize yield
M.C. Silva–Forsberg (Bloomington, IN, USA) and P.M. Fearnside (Amazonas, Brazil) 283
Water relations of jarrah (*Eucalyptus marginata*) regeneration from the seedling to the mature tree and of stump coppice
D.S. Crombie (Dwellingup, W.A., Australia) 293